

# You Can Take Control!

## Murphy PowerView® 485



- High brightness 4.3" 16 bit WQVGA display
- Freescale IMX35 32 bit 532MHz microprocessor
- 10 inputs and 5 outputs (analog, digital and frequency)
- CAN 2.0B/J1939 and RS-485 communications
- Interchangeable with PV480
- 256mb flash memory
- Real time clock
- USB 2

## Murphy PowerView® 380



- Crisp 3.8" QVGA monochrome display
- Red and amber warning LED
- 8 inputs and 2 outputs
- Real time clock
- CAN 2.0B/J1939 and RS-485 communications

## Deep Sea M-Series M835



- Optically bonded 3.5" heated LED display
- 400 MHz Cortex ARM M7 processor
- 4 inputs and 3 outputs
- VREF output for sensor power
- 512kb of SDRAM and 8mb of flash storage
- CAN 2.0B/J1939 & Raw CAN



Deep Sea M-Series M840



Deep Sea M-Series M812



Murphy PowerView® 700



Murphy PowerView® 780

**Contact us for even more options of displays and controllers!**

## Controls Integration Software

### Includes:

- Kubota approval
- Tier 4F & Stage V full compliance
- Engine start/stop and throttle control via the display
- Enhanced diagnostics
- Customizable logos & colors
- Ability to integrate other machine functions into the display.

## Software To Fit Your Application

We can make the display suit your application. Controls Integration can customize the display software to provide additional information or custom controls for your application. Examples include hydraulic actuation, enhanced diagnostics, machine specific service reminders and custom branding solutions. If you can dream it our engineers can make it a reality.